

Original Paper

Risk, Trust, and Emotion in Online Pharmacy Medication Purchases: Multimethod Approach Incorporating Customer Self-Reports, Facial Expressions, and Neural Activation

Semra Ersöz¹, RPh; Anika Nissen², Dr rer pol; Reinhard Schütte³, Dr rer pol

¹Institute for Marketing and Retail, Faculty of Economic Sciences, University of Duisburg-Essen, Essen, Germany

²Institute for Business Administration, Faculty of Economic Sciences, University of Hagen, Hagen, Germany

³Institute for Computer Science and Business Information Systems, Faculty of Economic Sciences, University of Duisburg-Essen, Essen, Germany

Corresponding Author:

Semra Ersöz, RPh

Institute for Marketing and Retail

Faculty of Economic Sciences

University of Duisburg-Essen

Universitätsstr 12

Essen, 45141

Germany

Phone: 49 2011833385

Email: semra.ersoetz@wiwinf.uni-due.de

Abstract

Background: Online pharmacies are used less than other e-commerce sites in Germany. Shopping behavior does not correspond to consumption behavior, as online purchases are predominantly made for over-the-counter (OTC) medications.

Objective: The objective of this study was to understand the purchasing experiences of online pharmacy customers in terms of critical factors for online pharmacy adoption.

Methods: This study examined the perceived risk, perceived trust, and emotions related to purchasing medications online and, consequently, the purchase intention toward online pharmacies. In a within-subjects design (N=37 participants), 2 German online pharmacies with different perceptions of risk and trust were investigated for their main business, namely OTC and prescription drugs. The results of a preliminary study led to 1 online pharmacy with high and 1 with significantly low self-reported risk by the prestudy sample. Emotions were measured with a multimethod approach during and after the purchase situation as follows: (1) neural evaluation processes using functional near-infrared spectroscopy, (2) the automated direct motor response during the use of the online pharmacy via facial expression analysis (FaceReader), and (3) subjective evaluations through self-reports. Following the shopping experiences at both pharmacies for both product types, risk, trust, and purchase intention toward the pharmacies were assessed using self-assessments.

Results: The 2 online pharmacies were rated differently in terms of risk, trust, emotions, and purchase intention. The high-risk pharmacy was also perceived as having lower trust and vice versa. Significantly stronger negative emotional expressions on customers' faces and different neural activations in the ventromedial prefrontal cortex and dorsomedial prefrontal cortex were measured when purchasing prescription drugs from the high-risk pharmacy than from the low-risk pharmacy, combined with OTC medications. In line with this, customers' self-ratings indicated higher negative emotions for the high-risk pharmacy and lower negative emotions for the low-risk pharmacy. Moreover, the ratings showed lower purchase intention for the high-risk pharmacy.

Conclusions: Using multimethod measurements, we showed that the preceding neural activation and subsequent verbal evaluation of online pharmacies are reflected in the customers' immediate emotional facial expressions. High-risk online pharmacies and prescription drugs lead to stronger negative emotional facial expressions and trigger neural evaluation processes that imply perceived loss. Low-risk online pharmacies and OTC medications lead to weaker negative emotional facial expressions and trigger neural evaluation processes that signify certainty and perceived reward. The results may provide an explanation for why OTC medications are purchased online more frequently than prescription medications.

(JMIR Form Res 2023;7:e48850) doi: [10.2196/48850](https://doi.org/10.2196/48850)

KEYWORDS

online pharmacy; emotion; facial expression; fNIRS; functional near-infrared spectroscopy; risk; trust; pharmacy; purchase; purchasing; consumer; consumers; customer; customers; drug; drugs; pharmaceutical; buy; buyer; pharmacies; perception; perceived; pharmaceuticals; pharmaceutical; business; commerce; commercial; e-commerce

Introduction

The number of e-commerce websites and the resulting market are growing steadily [1], and so is the online pharmacy market [2,3]. Online sales of pharmaceuticals are experiencing tremendous growth worldwide and are expected to increase significantly in the next few years for the main business of pharmacies with over-the-counter (OTC) and prescription drugs [4]. Despite the great advantages of online shopping, such as convenience, special offers, service quality, and autonomy in shopping [5], statistics in Germany show that mainly OTC medications and less than 2% prescription medications are sold online. Sales in the OTC medication market amounted to €13 billion (US \$14.2 billion) in 2022. Of that, around 22.6% was generated by online sales [6]. These figures do not match the typical consumption and demand for pharmaceuticals in Germany and indicate the particularly low acceptance of online pharmacies [7]. This is in stark contrast to the high acceptance of online shopping in general.

There are several factors that could contribute to the reluctance of consumers to purchase medications from online pharmacies. One possible explanation is the perceived higher risk associated with buying drugs online, which may be exacerbated by the growing presence of illicit pharmacies and counterfeit drugs on the market [8-10]. Additionally, consumers may be deterred by the lack of access to trained professionals who can provide information about medication effects [11,12]. Moreover, unlike most products sold online (eg, consumer electronics or fashion), counterfeit medications can have serious implications for a person's physical and mental health [13].

Perceived risk is suggested to be powerful in explaining customer behavior because customers tend to avoid mistakes more than to maximize utility during purchasing [14-16]. It can be defined as a loss or negative consequence incurred by the consumer when purchasing a particular product and thereby depends on *what is acquired* and *how* or *where the acquisition takes place* [17-19]. Regarding the *what*, medications can be generally divided into (1) OTC medications, which can be purchased by one's own decision, and (2) prescription medications, which should only be taken on the advice of a physician and therefore require a prescription (per German law §1 Arzneimittelverschreibungsverordnung [AMVV]). Regulations provide vital control mechanisms, as high-risk drugs require prescriptions, while less risky ones are available OTC, aligning with customers' perceptions [20,21].

With regard to the *how* and *where*, e-commerce in general is a business model that provides an easy entry point to the market. A website can be constructed by a retailer to sell products with minimal regulations. Online pharmacies, in contrast, face stricter regulations with regard to setting up an online store and selling medications [22]. Although strict requirements prevail, one

cannot speak of standardized ordering procedures that make shopping easier for customers.

Studies reveal that both the product and the pharmacy pose significant risks in regard to purchase intention in online pharmacies [23]. However, perceived risk must not be a barrier to adoption [24,25], but the lack of trust can be [25]. The willingness to take risks in a relationship can be understood as trust [26,27], and the question of whether a retailer is trustworthy plays a central role in the decision-making process of online pharmacy customers. If customers make the wrong decision, they may be at considerable risk, such as jeopardizing their health or even losing their lives [28]. Other research on online pharmacies has confirmed the negative influence of risk and the positive effect of trust on purchase intention [23,24,29-31]. Furthermore, trust perceptions were found to be negatively affected by perceived risk [29], while increased trust led to a decrease in the perceived risk associated with online pharmacies [31].

With regard to decisions under risk, social sciences, psychology, and economics have acknowledged that emotions play a key role in decision-making [32,33]. In this vein, several studies show that decisions can be predicted by immediate emotional states [34,35]. Komiak and Benbasat [36] argued that customers making trust decisions for products they cannot directly experience, such as medications, rely on spontaneous emotional processes that are less cognitively dominated. Several studies suggest that both cognitive and emotional processes are involved in perceived risk and perceived trust [37-41]. Emotions are proposed to guide decisions under risk, as demonstrated by the interdependence of emotions and risk in multiple works [38,41-44].

Perceived risk is typically associated with negative emotions [41,45,46]. Brain imaging studies also support the role of emotions in risk assessment, as damage to emotional processing regions can impair the ability to accurately assess risks [47-49]. Immediate emotional states have been found to significantly predict decisions, beyond anticipated emotions or subjective probabilities of risk outcomes [34,35,50].

In general, emotions serve several functions, including the evaluation of objects and events, the regulation of systems, the preparation and direction of action, the communication of reactions and behavioral intentions, and the monitoring of internal states and organism-environment interactions [51]. One of the most used definitions for emotions is the result of an extensive review of 92 different definitions [50]. According to this definition, emotion is "a complex set of interactions among subjective and objective factors, mediated by neural/hormonal systems, which can (a) give rise to affective experiences such as feelings of arousal, pleasure/displeasure; (b) generate cognitive processes such as emotionally relevant perceptual effects, appraisals, labeling processes; (c) activate widespread physiological adjustments to the arousing conditions; and (d)

lead to behavior that is often, but not always, expressive, goal-directed, and adaptive” [50]. In line with this definition, Izard [52] proposed that emotions consist of neural circuits, response systems, and a feeling state or process that motivates and organizes cognition and action. Emotions are triggered by appraisal processes and expressed through immediate autonomic responses and reflected subjective feelings about the situation. These concepts are supported by a consensus among emotion researchers [53]. Therefore, perceived risk and perceived trust cues from pharmacy websites and products are thought to lead to evaluative processes and resulting emotional responses that can be measured through neural activity; immediate physiological responses, such as facial expressions; and reflected subjective feelings about the situation [52,54,55].

To understand the customers’ purchasing experience in online pharmacies, the overall goal of this paper is to investigate the emotional experience associated with the perceived risk and perceived trust of online pharmacies as an antecedent to behavioral intentions to purchase medication online. To achieve this goal, we used a multimethod approach, including the capture of customers’ self-reported perceptions, facial expressions, and neural appraisal processes. It is important to note that although facial expressions provide immediate and unfiltered emotional responses [56], verbalized subjective feelings can be prone to biases [44,57,58]. Therefore, the use of neural appraisal processes and facial expressions allowed us to capture emotional reactions that might not be visible in self-reported data.

Methods

Study Design

The study was designed as a within-subjects research and divided into 3 parts. In the first task, participants were asked to use the 2 prior selected online pharmacies, Apotal and DocMorris [59]. The online pharmacies were selected based on their different risk and trust ratings in a preliminary study. Both are legal, hold the European Union (EU) safety logo, and are listed in national mail order registers. As a search task, participants were provided with the scenario that they had met with an accident and were now limited in their movements. As


a result, they now wanted to purchase their medications online. Participants were asked to buy well-known OTC painkillers (ibuprofen) and redeem the prescribed antithrombosis injection (Clexane). The task was completed once both medications were added to the shopping cart. The search task had to be executed on both online pharmacies; the order was randomized for each participant. During this task, participants’ faces were recorded via a video camera with a resolution of 1080 pixels and 30 frames per second, and facial expressions were later analyzed with FaceReader (Noldus) software.

After finishing their search task, participants were handed a questionnaire. First, a validated German version of the Positive and Negative Affect Scale (PANAS) was assessed for each included pharmacy to obtain insights into associated, self-reported emotional states related to the online pharmacy [60,61]. This was followed by questions on participants’ demographics. Finally, the experimenter measured the head circumference of participants, after which the third part of the study was started.

In the final part of the study, neural data were collected using the mobile neuroimaging method of functional near-infrared spectroscopy (fNIRS). In an event-related experimental paradigm, the online pharmacies were shown to participants as screenshots with the medications they had to search for in the first task. Each screenshot was shown for 4 seconds, after which a question from the scales for perceived risk (adapted from Forsythe and Shi [62]), perceived trust (adapted from Cyr et al [63]), and purchase intention (adapted from Gefen [64]) for the online pharmacies was shown with a 5-point Likert scale. Upon input from participants, a neutral cross randomly jittered between 2 and 4 seconds was shown. After that, the next screenshot was shown. Both online pharmacies were shown with both medications (Figure 1). This procedure continued until each question was asked for each screenshot. To ensure validity, the included scales in this study, except PANAS, were also used and validated in our preliminary study [59].

After all tasks were completed and questions answered, the fNIRS headband was removed and participants were free to leave.

Figure 1. Stimuli used in the experimental task.



Ethical Considerations

This study was reviewed by the Ethics Committee of the Medical Faculty of the University of Duisburg-Essen (approval number 21-9995-BO). Participants were informed about the study before the start of the study and were provided with an informed consent form. The recording and analysis of video data was pseudonymized. Only anonymized data were used in the publication. Participants received €10 (US \$10.9) as compensation.

Sample

We recruited 42 participants through a local university in September 2021. Exclusion criteria included existing neurological disease, reduced general health condition, no experience with online shopping, belonging to pharmaceutical staff, and taking medications with an effect on the central nervous system. Data from 5 (11.9%) participants were excluded: 1 participant because of a measurement error with FaceReader, 3 participants who did not correctly complete the search task on the online pharmacies, and 1 participant because of too much noise in the neural data. As a result, we included a final sample size of n=37 (88.1%) participants for further data analysis. Although this sample size might seem small for behavioral studies, it matched the average sample size of NeuroIS research, which was 38 participants [65]. Further, related fNIRS studies show that medium-large effects at 80% power can already be detected with a sample size of 20 participants [66]. Power analysis showed that with 37 participants, we had a power of 84.1% to effect sizes of $|\delta| > 0.5$ and a maximum type I error rate of 0.05.

The mean age was 28.6 (SD 9.52 years, min.=18 years, max.=62 years). Gender distribution was almost balanced, with 18 (48.6%) participants being female and 19 (51.4%) male. As handedness has been shown to potentially cause bias in neural

activation in the prefrontal cortex (PFC), we assessed the handedness of participants using the laterality quotient (LQ) described by Salmaso and Longoni [67] (we used the German version of Götze [68]), which revealed that the majority of the sample was right-handed (n=33, 89.2%). The mean head circumference of participants was 55.5 (SD 2.73 cm). Most of the participants were employed (n=18, 48.6%), followed by a smaller number being university students (n=14, 37.8%) and school pupils (n=4, 10.8%), and 1 (2.7%) participant was searching for employment.

Measurement Methods

Functional Near-Infrared Spectroscopy

It is widely acknowledged that fNIRS offers a mobile, robust, user-friendly, and nonintrusive method to assess the neural activity of participants at the cortical level [69-74]. Although neural correlates of emotion are frequently investigated in more primitive brain structures, such as the amygdala or the striatum, the appraisal processes that lead to an emotional experience are mainly processed in the PFC [75]. Several neuroimaging studies have found distinct neural patterns that might be related to different types of appraisals [76-79]. With regard to assessing risk and trust, however, it is primarily the medial parts of the PFC that come into play [48,49,80-82].


The fNIRS device sends near-infrared light into the brain at 2 (or more) wavelengths, which are reflected or absorbed by the hemoglobin in the blood [70,83]. Therefore, the levels of total hemoglobin, oxygenated as well as deoxygenated hemoglobin (HbO and HbR, respectively), in the brain regions under the fNIRS device are assessed [83,84]. In particular, HbO and HbR signals provide information about which brain region is activated to process the task or stimuli, because an increase in HbO levels and a decrease in HbR levels signifies neural activation of the given area [83].

Technical Specifications

The fNIRS device used in this study was a mobile, continuous-wave NIRSport 1 device developed by NIRX. The device comes with a sampling frequency of 7.81 Hz and has wavelengths set to 760 and 850 nm. For this study, measurements were focused on the PFC, which was covered with 8 sources, 7 long-distance detectors (LDDs; average distance set to 30 mm), and 8 short-distance detectors (SDDs;

average distance set to 8 mm, 1 short distance detector for each source). SDDs are used to assess extracerebral activations in the fNIRS signal, and thus, they help filter out noise in the data and ensure that only neural activation is interpreted [85-87]. Overall, the fNIRS montage holds 22 channels (Chs) that cover most cerebral areas of the PFC, and which LDD Chs cover which brain region can be seen in Figure 2 (note that SDD Chs are not depicted in the figure).

Figure 2. fNIRS montage design on the PFC. BA: Brodmann's Area; Ch: channel; dmPFC: dorsomedial prefrontal cortex; fNIRS: functional near-infrared spectroscopy; vmPFC; ventromedial prefrontal cortex.



Note. D = Detector, S = Source, F = Frontal, Fp = Frontopolar, AF = Anterior-Frontal

Data Analysis

We analyzed raw fNIRS data with the Brain AnalyzIR Matlab toolbox [88]. First, the sampling frequency was resampled to 4 Hz to address the high autocorrelation in the fNIRS signal [89]. After that, we calculated the optical density, followed by correcting data with the included SDD Chs using linear minimum mean square estimations to filter out artifacts caused by respiration, the heart rate, Mayer waves, movements, and extracerebral activations [90,91]. Hemoglobin values (HbO and HbR) were calculated using the modified Beer-Lambert law with a partial path length factor of 0.10 [92,93]. Finally, effects on the subject level using an autoregressive model with iteratively reweighted least squares (AR-IRLS) algorithm were calculated for the generalized linear model (GLM).

Automated Facial Expression Analysis

The automated facial expression analysis (AFEA) with FaceReader software is derived from nonautomated analysis methods known as the facial action coding system (FACS) by Ekman and Friesen [94]. The approach is based on an understanding of facial anatomy in which observable facial muscle movements are classified according to a taxonomy or dictionary of sorts and the collective recognition of the movements is used for interpreting facial gestures as emotions [94-96].

Technical Specifications

FaceReader version 8.0 was used, which is able to detect 7 emotional states with their intensities: happy, neutral, sad, angry, disgust, surprise, and contempt. Intensity (inactive to active) ranges between 0 and 1. AFEA followed 4 steps: (1) *face finding*, in which the face is detected using the Viola-Jones algorithm; (2) *modeling*, in which over 500 key points of the face are used to model a 3D mask of the face by applying the active appearance method (AAM); (3) *classification*, in which the expression is aligned and classified using a trained artificial neural network; and (4) *deep face classification*, in which direct classification of image pixels is conducted to enhance the accuracy of the analysis. When AAM works insufficiently (eg, if parts of the face are hidden), an analysis of emotional states is carried out nonetheless. Another advantage is that identification or calibration is not required in order to start analysis [97,98].

Data Analysis

We analyzed the video recordings of participants with the face model "general," which fits most people [98]. To estimate the best model fit, we ran the analysis with the maximum accuracy (slow) and frame by frame. In addition to the frequency of the facial expressions, we also scored the maximum intensities for the 7 types of facial expressions over time for each task (ibuprofen and Clexane) in each pharmacy (Aptol and

DocMorris). We used the maximum intensities because of the quick onset and brief duration of milliseconds; using average intensities was not reasonable [99].

Subjective Evaluation

The filtered responses of subjective feelings can be conceptualized along 2 major dimensions of valence (positive-negative) and activation. In line with this, Watson and Tellegen [100] proposed a consensual structure of emotion, where positive and negative dimensions of valence are combined with activation (inactive-active). Briefly, a positive affect (PA) reflects the extent of activation and enthusiasm, whereas a negative affect (NA) is the opposite of PA [100]. With this conceptualization, the conscious aspect of emotional experience becomes accessible, and emotional words that depend heavily on the receivers' understanding [101] are reasonably clustered to avoid bias caused by the limitation of words. We used the PA-NA, which is one of the most applied measurement scales [102,103]. With regard to behavioral intentions, PA can be mapped to approach behavior, while NA can be mapped to avoidance behavior [104].

Results

Self-Reports

First, we tested for reliability (Cronbach α) of the used scales, which resulted in sufficient reliability ($\alpha > .75$) for all scales (perceived risk $\alpha = .790$; perceived trust $\alpha = .861$; NA $\alpha = .847$; use intention $\alpha = .883$). Additionally, we calculated item-rest correlations to assess the internal consistency of the scales. Results showed that all included items had sufficient internal consistency (item-rest > 0.3) and were therefore included in the analysis.

Second, to ensure successful risk and trust manipulations in this study, we analyzed self-reported results using repeated-measures univariate analysis of variance (rmANOVA), with the factors "online pharmacy" and "medications" as repeated measures and the constructs "perceived risk" and "perceived trust" as dependent variables. As all assumptions were met by the data and the assumption of sphericity was given, no corrections were made.

The results revealed significant differences in perceived risk ($F_{1,36} = 92.809$, $P < .001$, $\eta^2_p = 0.721$) and perceived trust ($F_{1,36} = 60.131$, $P < .001$, $\eta^2_p = 0.626$) between the 2 included pharmacies. Apotal was perceived to bear higher risk (mean 3.11, SD 0.117) and lower trust (mean 2.97, SD 0.154) compared to DocMorris. Perceived risk and perceived trust were not surveyed for medication types because we considered medication types as a secondary effect (the types of medications and the different procedures for purchasing the medications indicate different perceptions of risk). Further, we evaluated possible biases in online pharmacies' ratings, since the screenshots showed the online pharmacies paired with the medications. No significant interaction effect between online pharmacy and medication ($F_{1,36} = 0.026$, $P = .87$, $\eta^2_p = 0.001$) and trust ($F_{1,36} = 0.661$, $P = .42$, $\eta^2_p = 0.018$) was found.

Testing the subjective feeling of emotion toward the online pharmacies with rmANOVA revealed a significantly higher NA ($F_{1,36} = 52.485$, $P < .001$, $\eta^2_p = 0.593$) for Apotal (mean 1.96, SD 0.684) compared to DocMorris. Further, significantly higher use intentions were reported for DocMorris (mean 3.73, SD 0.156) compared to Apotal ($F_{1,36} = 103.826$, $P \leq .001$, $\eta^2_p = 0.743$). All means and SDs of the included self-reports are presented in Table 1.

Table 1. Results of the self-reports.

Online pharmacy	Perceived risk, mean (SD)	Perceived trust, mean (SD)	Use intention, mean (SD)	NA ^a , mean (SD)
Apotal	3.11 (0.12)	2.97 (0.15)	2.23 (0.16)	1.96 (0.68)
DocMorris	2.11 (0.09)	3.98 (0.09)	3.73 (0.12)	1.25 (0.30)

^aNA: negative affect.

Neural Activation

To analyze the neural data from fNIRS on a group level, we ran a mixed-effects model that used the 2 online pharmacies (Apotal and DocMorris) and the medications (ibuprofen and Clexane) as fixed effects and individual differences between participants

as random effects. Further, it is important to note that an increase (red Ch) in HbO and a subsequent decrease in HbR (blue Ch) pointed to neural activation (see Figures 3 and 4 and Table 2). To avoid false positives, Chs in which both HbO and HbR showed a significant increase were omitted from further analysis (ie, Ch 6).

Figure 3. Comparison of higher-risk versus lower-risk online pharmacy (Apotal and DocMorris, respectively) for each medication product. Ch: channel; HbO: oxygenated hemoglobin; HbR: deoxygenated hemoglobin; q: false discovery rate (FDR)–corrected *P* value.




Figure 4. Comparison of prescription versus OTC medication (Clexane and ibuprofen, respectively) for each online pharmacy. Ch: channel; HbO: oxygenated hemoglobin; HbR: deoxygenated hemoglobin; q: false discovery rate (FDR)–corrected *P* value.




Table 2. Results of the mixed-effects model for comparison of the high-risk (Apotal) versus low-risk (DocMorris) online pharmacy for each medication.

Type	Ch ^a	Area	Condition	β	t_{144}	q^b	Power
HbO ^c	18	vmPFC ^d	Clexane (Apotal>DocMorris)	1.868	3.283	0.015	0.783
HbO	10	dmPFC ^e , right	Ibuprofen (Apotal>DocMorris)	1.489	3.813	0.003	0.904
HbO	15	vmPFC, left	Ibuprofen (Apotal>DocMorris)	-2.882	-3.742	0.004	0.892

^aCh: channel.

^bq: false discovery rate (FDR)–corrected *P* value.

^cHbO: oxygenated hemoglobin.

^dvmPFC: ventromedial prefrontal cortex.

^edmPFC: dorsomedial prefrontal cortex.

Prescription Medication in the High-Risk Online Pharmacy

We identified significant activation of the ventromedial prefrontal cortex (vmPFC) only when the prescription medication (Clexane) was shown in the high-risk online pharmacy (Apotal). This became evident not only in the comparison between the 2 pharmacies when both showed

Clexane (Figure 4, left, Ch 18 in HbO) but also when comparing the depiction of Clexane compared to ibuprofen both in Apotal (Figure 3, left, Chs 15, 18, 20, and 22 in HbO and Chs 15 and 20 in HbR; see also Table 3). Furthermore, only when comparing within the high-risk pharmacy's website, we also identified deactivation of the right dorsomedial prefrontal cortex (dmPFC) when the prescription medication was shown compared to the OTC medication (Figure 3, left, Ch 10 in HbO).

Table 3. Results of the mixed-effects model for comparison of the prescription (Clexane) versus the OTC^a (ibuprofen) medication for each online pharmacy.

Type	Ch ^b	Area	Condition	β	t_{144}	q^c	Power
HbO ^d	10	dmPFC ^e , right	Apotal (Clexane>ibuprofen)	-1.698	-4.709	0.000	0.986
HbO	18	vmPFC ^f	Apotal (Clexane>ibuprofen)	2.606	4.557	0.001	0.979
HbO	15	vmPFC, left	Apotal (Clexane>ibuprofen)	2.732	3.598	0.006	0.863
HbR ^g	15	vmPFC, left	Apotal (Clexane>ibuprofen)	-1.950	-3.999	0.002	0.932
HbO	20	vmPFC, left	Apotal (Clexane>ibuprofen)	1.170	2.886	0.032	0.650
HbO	22	vmPFC, left	Apotal (Clexane>ibuprofen)	2.122	2.933	0.032	0.667
HbR	20	vmPFC, left	Apotal (Clexane>ibuprofen)	-0.604	-2.681	0.049	0.572
HbR	13	dmPFC, left	DocMorris (Clexane>ibuprofen)	-1.132	-3.087	0.024	0.721
HbO	17	vmPFC, right	DocMorris (Clexane>ibuprofen)	-1.593	-2.933	0.032	0.667

^aOTC: over the counter.

^bCh: channel.

^cq: false discovery rate (FDR)-corrected *P* value.

^dHbO: oxygenated hemoglobin.

^edmPFC: dorsomedial prefrontal cortex.

^fvmPFC: ventromedial prefrontal cortex.

^gHbR: deoxygenated hemoglobin.

OTC Medication in the Low-Risk Online Pharmacy

We identified activation of the left vmPFC and deactivation of the right dmPFC when the OTC medication (ibuprofen) was depicted in the low-risk pharmacy (DocMorris) compared to the high-risk pharmacy (see Figure 4, right, Chs 15 and 10 in HbO). When comparing prescription and OTC medications within the low-risk pharmacy's website, significant activation of the right vmPFC and deactivation of the left dmPFC were observed (Figure 3, right, Ch 13 in HbO and Ch 17 in HbR).

Facial Expressions

Analogous to the neural results, we ran a mixed-effects model to analyze the results of the facial expression analysis on a group level related to the use of the online pharmacies (Apotal and DocMorris) and the medications (Clexane and ibuprofen) as fixed effects and individual differences between participants as random effects. The averages of the maximum intensities of negative facial expressions during the purchases were used for calculations.

We found significant differences in the intensity of negative emotions between the groups ($F_{3,108}=5.86, P<.001$). These were identified between the pharmacies ($F_{1,108}=12.80, P<.001$) and

the medications ($F_{1,108}=4.74, P=.03$). During the purchase at the high-risk pharmacy (Apotal), the intensity of negative emotions was higher (mean 0.310, SD 0.131) than during the purchase at the low-risk pharmacy (DocMorris; mean 0.283, SD 0.122). Additionally, during the purchase of the prescription medication (Clexane), the negative facial expression intensity was higher for both pharmacies (Apotal: mean 0.333, SD 0.145; DocMorris: mean 0.304, SD 0.142) than during the purchase of the OTC medication (ibuprofen; Apotal mean 0.287, SD 0.135; DocMorris mean 0.230, SD 0.123).

However, testing the differences between the medications in the 2 pharmacies revealed insignificant effects. Moreover, comparing the purchase of the prescription medication (Clexane) at the high-risk pharmacy (Apotal) with the same purchase at the low-risk pharmacy (DocMorris) showed no significant effect.

Comparing the purchase of the prescription medication (Clexane) at the high-risk pharmacy (Apotal) with the purchase of the OTC medication (ibuprofen) at the low-risk pharmacy (DocMorris) resulted in significantly higher intensities of negative facial expressions ($t_{108}=4.069, P<.001$). All values are reported in Table 4.

Table 4. FaceReader results for the comparison of negative emotion intensities.

Comparison	Difference	SE	t ₁₀₈	P value
DocMorris vs Apotal	-0.027	0.0124	-2.177	.03
Ibuprofen vs Clexane	-0.044	0.0124	-3.577	<.001
Apotal (Clexane vs ibuprofen)	0.047	0.0175	2.661	.05
DocMorris (Clexane vs ibuprofen)	0.042	0.0175	2.398	.11
Clexane (Apotal vs DocMorris)	0.029	0.0175	1.671	.59
Ibuprofen (Apotal vs DocMorris)	0.025	0.0175	1.408	.97
Apotal and Clexane vs DocMorris and ibuprofen	0.071	0.0175	4.069	<.001

Discussion

Principal Findings

The subjective assessments of perceived risk and perceived trust confirmed that Apotal is perceived as having higher risk, lower trust, and more negative emotion than DocMorris. Similarly, the purchase intention is significantly lower for Apotal than for DocMorris. To obtain a deeper understanding of what leads to these self-reported ratings, we will take a closer look at the neural activity and facial expression results.

Interpretation of Neural and Facial Expression Results

We identified consistent activation of the left vmPFC region when the prescription medication (Clexane) was combined with the high-risk online pharmacy (Apotal). This effect was further associated with the highest negative emotional intensity of facial expressions while using the 2 pharmacies' websites. Our facial expression analysis further suggested that during the shopping process, the prescription medication had a more significant impact on negative emotional states than did the online pharmacy. A look at the related literature on the vmPFC's functions and facial expression results provides us with further information about these findings.

In broader cognitive neuroscience, the vmPFC is frequently associated with value detection (ie, gain or loss) and with the regulation of (negative) emotion [105-108]. Furthermore, the significant role of this brain region in the evaluation of the potential implications of events for oneself was first stated in the somatic marker hypothesis and has been demonstrated in several studies that have shown that people with vmPFC damage are no longer able to make reasonable decisions [48,49,109]. The reason for this is that these persons lack the ability to accurately assess the risk (or potential loss) of a decision for themselves. This provides support for the somatic marker hypothesis that states that our decisions are framed and guided by emotions. Seeing the vmPFC activated for stimuli that are also associated with intense negative emotional facial expressions, and the higher self-rated perceived risk and NA, it is likely an indicator for negative emotional appraisal of medications and pharmacies' websites.

The related literature that used AFEA revealed that negative emotions are often expressed more frequently and intensely than positive emotions [99,110,111]. It is further understood that risky situations evoke negative emotions [45,46], and in the case of online shopping, risk leads to a negative emotional

experience due to the fear of potential loss [112]. Therefore, we propose the following first theoretical implication of our study:

Theoretical implication 1: High-risk online pharmacies and prescription medications lead to stronger negative emotional facial expressions and give rise to neural appraisal processes signifying perceived loss.

When looking at the OTC medication (ibuprofen) and the online pharmacy associated with high perceived trust and low perceived risk (DocMorris), the facial expression analysis underlines that the medication and the pharmacy are associated with significantly less negative emotional expressions. On the neural level, we further identified a different activation pattern. Although the vmPFC still showed significant activation, it was always accompanied by a significant deactivation of the dmPFC in the opposite hemisphere. Although the vmPFC has been related to processing the reward or loss value [113], areas of the dmPFC have been more associated with decision conflict [114]. In risky decision-making, the dmPFC has been found to be activated when information is incomplete and thus uncertainty is high [82,115]. Furthermore, high activity in the dmPFC has been found to be associated with risky choices [116,117], suggesting that dmPFC activation in risky behavior acts as a warning signal [82]. Given its *deactivation* when both the online pharmacy and the medication are perceived as lower in risk but not when one of them is perceived as higher in risk, this situation may be decoded as a certain and safe option. Due to the higher perceived trust and less negative emotional expressions, the vmPFC activation for this shopping situation may signify perceived reward. Therefore, the following second theoretical implication can be suggested:

Theoretical implication 2: Low-risk online pharmacies and OTC medications lead to weaker negative emotional facial expressions and give rise to neural appraisal processes signifying certainty and perceived reward.

Practical Implications

Several consequences for industry can be derived from our theoretical implications. Given that the perceived risk of prescribed medications cannot be changed due to their nature, online pharmacies need to especially tackle trust-building mechanisms on their websites for the purchasing process of prescription and potentially high-risk medications. Based on our findings, there is potential to generate neural responses

associated with certainty and reward for OTC medications, which could explain why these products are more commonly purchased online compared to prescription medications. One key difference between the presentation of prescription and OTC medications on the online pharmacy websites investigated is the lack of product images for prescription items: only an image of an envelope with the prescription or no image is displayed. It would be beneficial to include photos of the products themselves to aid in their identification. Additionally, it is important to provide detailed textual information about prescription medications, as the lack of such information may contribute to the negative emotional responses observed toward prescription medications, which indicates a higher risk perception toward them [20]. Studies confirm that customers refuse to buy medicines online, because they do not receive relevant information on the pharmacy websites. Customers are concerned that their health will be put at risk because they lack technical information, such as the expiration date, a release form, and the safety of the product for their health [10,11,13].

Regarding the process for placing prescription medication orders, both pharmacies investigated act according to German law (§17 Apothekenbetriebsordnung [ApoBetrO]). The customer sends the prescription via mail to obtain the medication. However, DocMorris displays the desired medication in the shopping basket and provides ordering instructions on both the product page and the shopping basket. In contrast, when attempting to add a prescription medication to the basket on the Apotal website, a new window containing a PDF file opens up. The file explains that customers must fill out a printed form and take it to the post office to obtain their medications. Notably, the desired medication does not appear in the shopping basket. Given that customers have to send their prescriptions and order via mail and cannot simply shop online is an obstacle to the perceived convenience of shopping for prescription medications online. Despite the availability of e-prescriptions in Germany since September 2022, the current lack of necessary technology in many doctors' offices has resulted in conventional prescriptions remaining relevant [118]. In fact, it was estimated that conventional prescriptions would still be issued in 70% of cases in 2023 [119].

Therefore, adding trust-building elements to these product pages is of utmost importance for online pharmacies. Other than providing technical information, a further option would be to include certificates of trust on the website to ensure the authenticity of the pharmacy. Pharmacies can also leverage telemedicine and chats or telephone hotlines to provide personal advice to customers. In fact, our low-risk pharmacy already makes use of this and provides easy access to these services directly on the product page. According to a study in India [120], this would help purchases in online pharmacies. Finally, online pharmacies should ensure that the purchase process is as convenient as it can be under the given regulations, including the guarantee of product availability and timely delivery; information about both is essential and should be visible to the customer on the website. Evidence shows that online pharmacy customers wish for better logistics [121].

Neuroeconomic research has shown that establishing brands and having a high (positive) reputation can lead to neural

“lock-in” effects [122,123]. The neural effects are also located in the vmPFC and signify an increased appraisal of reward value toward stores and products of the preferred brand. Therefore, establishing such effects in customers may neutralize the NA and perceived risk with ordering prescription medications online.

Limitations and Future Research

We used a multimethod approach to gain deeper insights into the appraisal processes and immediate emotional experience of online medication purchasing. However, this study has some major limitations that should be addressed by future research. First, we considered 2 operating online pharmacies in Germany and examples of prescription and OTC medications. Thereby, we may have a geographical restriction in the generalization of our findings. Especially as restricting laws for pharmacies in Germany do not always apply to other countries, this research needs to be validated in other countries and cultures. Regarding the experimental design, we had to measure facial expressions and neural activity in 2 tasks of the study. That is because the fNIRS headband obscured parts of the face (eyebrows) that are essential for emotion recognition with FaceReader. Future research should particularly focus on making simultaneous measures of facial expressions and neural activity to validate our results during actual website use. Finally, by using 2 German online pharmacies that are among the top 10 in Germany [124], we can argue that the stimuli were not manipulated for the goals of the study but that we assessed the perceptions of risk and trust, including emotional experience, for a real-world problem. Due to the close-to-real-life situation, several biases can result from uncontrollable stimuli in the environment as well as from unpredictable effects from those stimuli. Here also, the importance of self-reports becomes evident in understanding cognitive concepts that are interconnected with emotions. Given this limitation, and to further derive rigorous design guidelines for prescription medication pages, future work may use controlled stimuli where different practical implications made in this paper are tested.

Conclusion

For a health-related and underresearched specific e-commerce phenomenon, namely online pharmacies and their primary business of prescription and OTC medications, we examined perceived risk and perceived trust as critical antecedents for their adoption in the context of emotions in decision-making. Our results demonstrate that in the context of online pharmacies in particular, and e-commerce websites in general, deeper insights into the evaluation processes of websites and products will help us better understand how the risk and trust associated with them can influence emotions and thus behavioral intentions. Furthermore, we also investigated potential links between uncertainty and neural decision conflicts that stem from appraisal processes, and their relation to the perceived risk of online pharmacies, depending on the medications. Both facial expression analysis and neural results showed that several negative emotional attribution processes occur for prescription medications compared to OTC medications. Online pharmacies may therefore rethink how the product page of prescription medications should be designed so that the intense negative emotional experience, increased uncertainty, and perceived risk

can be weakened for this product type. Building trust incentives into the product page and fostering a strong brand may elevate these negative effects of prescription medication and foster the success of online pharmacies.

Data Availability

All anonymized data collected for this paper as well as the data analyses are available on the Open Science Framework [125] website. Note that the video recordings for facial expression analysis are not shared as this would breach anonymization.

Conflicts of Interest

None declared.

References

1. Bhatti A, Akram H, Basit HM, Khan AU, Raza NSM, Bilal M. E-commerce trends during COVID-19 pandemic. *Int J Future Gener Commun Netw*. 2020 Jun 11;13(2):1449-1452
2. ePharmacy market size, share and industry analysis by product (over-the-counter products, prescription medicine) and regional forecast, 2019-2026. *Fortune Business Insights*. 2019. URL: <https://www.fortunebusinessinsights.com/industry-reports/infographics/epharmacy-market-100238> [accessed 2023-12-14]
3. Europe's online pharmacy industry, 2020 analysis by platform, type and geography. *Research and Markets*. 2020. URL: <https://www.globenewswire.com/news-release/2020/04/08/2013547/0/en/Europe-s-Online-Pharmacy-Industry-2020-Analysis-by-Platform-Type-and-Geography.html> [accessed 2021-01-11]
4. Online pharmacy: worldwide Statista market forecast. *Statista*. 2022. URL: <https://www.statista.com/outlook/dmo/digital-health/ehealth/online-pharmacy/worldwide> [accessed 2023-12-14]
5. Pramuk M, Madhavaiah C, Chelli AK. Development and validation of a scale to measure the perceived benefits and risks of online pharmacy stores. *Int J Pharm Res*. 2020 Jul 01;12(03):248-258 [doi: [10.31838/ijpr/2020.12.03.027](https://doi.org/10.31838/ijpr/2020.12.03.027)]
6. OTC-Versandhandel 2022_ Digitaler Pharma-Handel wächst trotz Krise. *DatamedIQ*. 2023. URL: <https://newsroom.datamediq.com/otc-versandhandel-2022-waechst> [accessed 2023-12-14]
7. Die Apotheke: Zahlen, Daten, Fakten 2022. Bundesvereinigung Deutscher Apothekerverbände e. V. (ABDA). 2022. URL: https://www.abda.de/fileadmin/user_upload/assets/ZDF/ZDF22/ABDA_ZDF_2022_Broschuere.pdf [accessed 2023-12-14]
8. Internet pharmacy warning letters. *FDA*. 2021. URL: <https://www.fda.gov/drugs/drug-supply-chain-integrity/internet-pharmacy-warning-letters> [accessed 2021-11-28]
9. Thousands of fake online pharmacies shut down in INTERPOL operation. *Interpol*. 2021 Jun 8. URL: <https://tinyurl.com/3hhfn6wv>
10. Fittler A, Bósz G, Botz L. Evaluating aspects of online medication safety in long-term follow-up of 136 Internet pharmacies: illegal rogue online pharmacies flourish and are long-lived. *J Med Internet Res*. 2013 Sep 10;15(9):e199 [FREE Full text] [doi: [10.2196/jmir.2606](https://doi.org/10.2196/jmir.2606)] [Medline: [24021777](https://pubmed.ncbi.nlm.nih.gov/24021777/)]
11. Soboleva MS, Loskutova EE, Kosova IV. Problems of purchasing pharmacy products through online orders. *J Adv Pharm Technol Res*. 2022;13(4):286-290 [FREE Full text] [doi: [10.4103/japtr.japtr_454_22](https://doi.org/10.4103/japtr.japtr_454_22)] [Medline: [36568045](https://pubmed.ncbi.nlm.nih.gov/36568045/)]
12. Dölger C. BAH-Versorgungsindex: Menschen vertrauen besonders den Vor-Ort-Apotheken. *Pharmazeutische Zeitung*. 2021 Feb 17. URL: <https://www.pharmazeutische-zeitung.de/menschen-vertrauen-besonders-den-vor-ort-apotheken-123843/> [accessed 2023-12-14]
13. Bessell T, Anderson J, Silagy C, Sansom L, Hiller J. Surfing, self-medicating and safety: buying non-prescription and complementary medicines via the internet. *Qual Saf Health Care*. 2003 Apr;12(2):88-92 [FREE Full text] [doi: [10.1136/qhc.12.2.88](https://doi.org/10.1136/qhc.12.2.88)] [Medline: [12679503](https://pubmed.ncbi.nlm.nih.gov/12679503/)]
14. Bauer R. Consumer behaviour as risk taking. In: Hancock RS, editor. *Dynamic Marketing for a Changing World: Proceedings of the 43rd Conference of the American Marketing Association*. Chicago, IL. American Marketing Association; 1960:389-398
15. Mitchell V. Consumer perceived risk: conceptualisations and models. *Eur J Mark*. 1999;33(1/2):163-195 [doi: [10.1108/03090569910249229](https://doi.org/10.1108/03090569910249229)]
16. Simon H. *Models of Man*. New York. Wiley; 1957.
17. Campbell MC, Goodstein RC. The moderating effect of perceived risk on consumers' evaluations of product incongruity: preference for the norm. *J Consum Res*. 2001 Dec 01;28(3):439-449 [doi: [10.1086/323731](https://doi.org/10.1086/323731)]
18. Hisrich RD, Dornoff RJ, Kernan JB. Perceived risk in store selection. *J Mark Res*. 2018 Nov 28;9(4):435-439 [doi: [10.1177/002224377200900414](https://doi.org/10.1177/002224377200900414)]
19. Stone RN, Grønhaug K. Perceived risk: further considerations for the marketing discipline. *Eur J Mark*. 1993 Apr;27(3):39-50 [doi: [10.1108/03090569310026637](https://doi.org/10.1108/03090569310026637)]
20. Droege M, Maniscalco M, Daniel KL, Baldwin HJ. Consumers' risk perceptions of prescription and over-the-counter medications. *J Pharm Technol*. 2016 Aug 03;23(3):142-147 [doi: [10.1177/875512250702300303](https://doi.org/10.1177/875512250702300303)]

21. Fielding S, Slovic P, Johnston M, Lee AJ, Bond CM, Watson MC. Public risk perception of non-prescription medicines and information disclosure during consultations: a suitable target for intervention? *Int J Pharm Pract.* 2018 Oct;26(5):423-432 [FREE Full text] [doi: [10.1111/ijpp.12433](https://doi.org/10.1111/ijpp.12433)] [Medline: [29318694](https://pubmed.ncbi.nlm.nih.gov/29318694/)]
22. Kennedy JP, Wilson JM. Clicking into harm's way: the decision to purchase regulated goods online. *Am Behav Sci.* 2017 Sep 29;61(11):1358-1386 [doi: [10.1177/0002764217734264](https://doi.org/10.1177/0002764217734264)]
23. Büttner OB, Göritz AS. Perceived trustworthiness of online shops. *J Consum Behav.* 2008 Apr 03;7(1):35-50 [doi: [10.1002/cb.235](https://doi.org/10.1002/cb.235)]
24. Sabbir MM, Islam M, Das S. Understanding the determinants of online pharmacy adoption: a two-staged SEM-neural network analysis approach. *J Sci Technol Policy Manag.* 2020 Nov 18;12(4):666-687 [doi: [10.1108/jstpm-07-2020-0108](https://doi.org/10.1108/jstpm-07-2020-0108)]
25. Santos EO. Exploring the factors that influence the adoption of online pharmacy in Portugal: a study on consumer's acceptance and pharmacist's perception. University of Porto. 2021. URL: <https://repositorio-aberto.up.pt/bitstream/10216/139908/2/533380.pdf> [accessed 2023-12-14]
26. Mayer RC, Davis JH, Schoorman FD. An integrative model of organizational trust. *Acad Manag Rev.* 1995 Jul;20(3):709 [doi: [10.2307/258792](https://doi.org/10.2307/258792)]
27. Schlenker BR, Helm B, Tedeschi JT. The effects of personality and situational variables on behavioral trust. *J Pers Soc Psychol.* 1973 Mar;25(3):419-427 [doi: [10.1037/h0034088](https://doi.org/10.1037/h0034088)] [Medline: [4705673](https://pubmed.ncbi.nlm.nih.gov/4705673/)]
28. Alwon BM, Solomon G, Hussain F, Wright DJ. A detailed analysis of online pharmacy characteristics to inform safe usage by patients. *Int J Clin Pharm.* 2015 Feb;37(1):148-158 [FREE Full text] [doi: [10.1007/s11096-014-0056-1](https://doi.org/10.1007/s11096-014-0056-1)] [Medline: [25564180](https://pubmed.ncbi.nlm.nih.gov/25564180/)]
29. Ma L. Understanding non-adopters' intention to use internet pharmacy: revisiting the roles of trustworthiness, perceived risk and consumer traits. *J Eng Technol Manag.* 2021 Jan;59:101613 [doi: [10.1016/j.jengtecman.2021.101613](https://doi.org/10.1016/j.jengtecman.2021.101613)]
30. Sampat B, Sabat K. Customer usage intention of online pharmacies: a developing country's perspective. *J Serv Res.* 2020(20):171-195
31. Yin M, Li Q, Qiao Z. A study on consumer acceptance of online pharmacies in China. In: Ishida T, Sadeh N, Lee JK, Casalegno F, Kim W, Kim S, et al, editors. *Proceedings of the 18th Annual International Conference on e-Commerce in Smart Connected World.* New York. ACM Press; 2016:1-8
32. Kahneman D. Maps of bounded rationality: psychology for behavioral economics. *Am Econ Rev.* 2003 Nov 01;93(5):1449-1475 [doi: [10.1257/000282803322655392](https://doi.org/10.1257/000282803322655392)]
33. Zinn J. Risk, affect and emotion. *Forum Qual Soc Res.* 2006;7(1):2-5
34. Peters EM, Burraston B, Mertz CK. An emotion-based model of risk perception and stigma susceptibility: cognitive appraisals of emotion, affective reactivity, worldviews, and risk perceptions in the generation of technological stigma. *Risk Anal.* 2004 Oct;24(5):1349-1367 [doi: [10.1111/j.0272-4332.2004.00531.x](https://doi.org/10.1111/j.0272-4332.2004.00531.x)] [Medline: [15563300](https://pubmed.ncbi.nlm.nih.gov/15563300/)]
35. Schlösser T, Dunning D, Fetschenhauer D. What a feeling: the role of immediate and anticipated emotions in risky decisions. *Behav Decis Mak.* 2011 Oct 06;26(1):13-30 [doi: [10.1002/bdm.757](https://doi.org/10.1002/bdm.757)]
36. Komiak SYX, Benbasat I. The effects of personalization and familiarity on trust and adoption of recommendation agents. *MIS Quarterly.* 2006;30(4):941 [doi: [10.2307/25148760](https://doi.org/10.2307/25148760)]
37. Lewis JD, Weigert A. Trust as a Social Reality. *Soc Forces.* 1985 Jun;63(4):967-985 [doi: [10.2307/2578601](https://doi.org/10.2307/2578601)]
38. Loewenstein GF, Weber EU, Hsee CK, Welch N. Risk as feelings. *Psychol Bull.* 2001 Mar;127(2):267-286 [doi: [10.1037/0033-2909.127.2.267](https://doi.org/10.1037/0033-2909.127.2.267)] [Medline: [11316014](https://pubmed.ncbi.nlm.nih.gov/11316014/)]
39. Lupton D. Risk and emotion: towards an alternative theoretical perspective. *Health, Risk Soc.* 2013 Dec;15(8):634-647 [doi: [10.1080/13698575.2013.848847](https://doi.org/10.1080/13698575.2013.848847)]
40. Rousseau DM, Sitkin SB, Burt RS, Camerer C. Not so different after all: a cross-discipline view of trust. *Acad Manag Rev.* 1998 Jul 01;23(3):393-404 [doi: [10.5465/Amr.1998.926617](https://doi.org/10.5465/Amr.1998.926617)]
41. Slovic P, Peters E. Risk perception and affect. *Curr Dir Psychol Sci.* 2016 Jun 24;15(6):322-325 [doi: [10.1111/j.1467-8721.2006.00461.x](https://doi.org/10.1111/j.1467-8721.2006.00461.x)]
42. Slovic P, Peters E, Grana J, Berger S, Dieck GS. Risk perception of prescription drugs: results of a national survey. *Drug Inf J.* 2007 Dec 30;41(1):81-100 [doi: [10.1177/009286150704100110](https://doi.org/10.1177/009286150704100110)]
43. Slovic P, Finucane M, Peters E, MacGregor D. Risk as analysis and risk as feelings: some thoughts about affect, reason, risk, and rationality. *Risk Anal.* 2004 Apr;24(2):311-322 [doi: [10.1111/j.0272-4332.2004.00433.x](https://doi.org/10.1111/j.0272-4332.2004.00433.x)] [Medline: [15078302](https://pubmed.ncbi.nlm.nih.gov/15078302/)]
44. Zajonc RB. Feeling and thinking: preferences need no inferences. *Am Psychol.* 1980 Feb;35(2):151-175 [doi: [10.1037/0003-066x.35.2.151](https://doi.org/10.1037/0003-066x.35.2.151)]
45. Arnold M. *Emotion & Personality Volume 1: Psychological Aspects.* New York. Columbia University Press; 1960.
46. Wolff K, Larsen S, Øgaard T. How to define and measure risk perceptions. *Ann Tourism Res.* 2019 Nov;79:102759 [doi: [10.1016/j.annals.2019.102759](https://doi.org/10.1016/j.annals.2019.102759)]
47. Bechara A, Damasio H, Tranel D, Damasio AR. Deciding advantageously before knowing the advantageous strategy. *Science.* 1997 Feb 28;275(5304):1293-1295 [doi: [10.1126/science.275.5304.1293](https://doi.org/10.1126/science.275.5304.1293)] [Medline: [9036851](https://pubmed.ncbi.nlm.nih.gov/9036851/)]
48. Bechara A, Damasio AR. The somatic marker hypothesis: a neural theory of economic decision. *Games Econ Behav.* 2005 Aug;52(2):336-372 [doi: [10.1016/j.geb.2004.06.010](https://doi.org/10.1016/j.geb.2004.06.010)]
49. Damasio A. *Descartes' Error: Emotion, Reason and the Human Brain.* New York. Putnam; 1994.

50. Kleinginna PR, Kleinginna AM. A categorized list of emotion definitions, with suggestions for a consensual definition. *Motiv Emot.* 1981 Dec;5(4):345-379 [doi: [10.1007/bf00992553](https://doi.org/10.1007/bf00992553)]
51. Scherer KR. What are emotions? And how can they be measured? *Soc Sci Inf.* 2016 Jun 29;44(4):695-729 [doi: [10.1177/0539018405058216](https://doi.org/10.1177/0539018405058216)]
52. Izard CE. Forms and functions of emotions: matters of emotion–cognition interactions. *Emot Rev.* 2011 Sep 20;3(4):371-378 [doi: [10.1177/1754073911410737](https://doi.org/10.1177/1754073911410737)]
53. Izard CE. The many meanings/aspects of emotion: definitions, functions, activation, and regulation. *Emot Rev.* 2010 Oct 12;2(4):363-370 [doi: [10.1177/1754073910374661](https://doi.org/10.1177/1754073910374661)]
54. Coppin G, Sander D. Theoretical approaches to emotion and its measurement. In: Meiselman HL, editor. *Emotion Measurement*. Sawston, UK. Woodhead Publishing; 2016.
55. Mulligan K, Scherer KR. Toward a working definition of emotion. *Emot Rev.* 2012 Sep 26;4(4):345-357 [doi: [10.1177/1754073912445818](https://doi.org/10.1177/1754073912445818)]
56. Ekman P, Friesen WV. Felt, false, and miserable smiles. *J Nonverbal Behav.* 1982;6(4):238-252 [doi: [10.1007/bf00987191](https://doi.org/10.1007/bf00987191)]
57. Dimoka A. What does the brain tell us about trust and distrust? Evidence from a functional neuroimaging study. *MIS Quarterly.* 2010;34(2):373 [doi: [10.2307/20721433](https://doi.org/10.2307/20721433)]
58. Barrett L. Navigating the science of emotion. In: Meiselman HL, editor. *Emotion Measurement*. Sawston, UK. Woodhead Publishing; 2016.
59. Nissen A, Ersöz S. Towards a psychophysiological investigation of perceived trustworthiness and risk in online pharmacies: results of a pre-study. In: Davis FD, Riedl R, Léger PM, Randolph AB, Müller-Putz G, editors. *Information Systems and Neuroscience. NeuroIS 2021. Lecture Notes in Information Systems and Organisation*, vol 52. Cham. Springer; 2021:9-19
60. Breyer B, Bluemke M. Deutsche version der positive and negative affect schedule PANAS (GESIS Panel). Zusammenstellung sozialwissenschaftlicher Items und Skalen. 2016. URL: [https://zis.gesis.org/skala/Breyer-Bluemke-Deutsche-Version-der-Positive-and-Negative-Affect-Schedule-PANAS-\(GESIS-Panel\)](https://zis.gesis.org/skala/Breyer-Bluemke-Deutsche-Version-der-Positive-and-Negative-Affect-Schedule-PANAS-(GESIS-Panel)) [accessed 2023-12-14]
61. Watson D, Clark LA, Tellegen A. Development and validation of brief measures of positive and negative affect: the PANAS scales. *J Pers Soc Psychol.* 1988;54(6):1063-1070 [doi: [10.1037/0022-3514.54.6.1063](https://doi.org/10.1037/0022-3514.54.6.1063)]
62. Forsythe SM, Shi B. Consumer patronage and risk perceptions in internet shopping. *J Bus Res.* 2003 Nov;56(11):867-875 [doi: [10.1016/s0148-2963\(01\)00273-9](https://doi.org/10.1016/s0148-2963(01)00273-9)]
63. Cyr D, Head M, Larios H. Colour appeal in website design within and across cultures: a multi-method evaluation. *Int J Hum-Comput Stud.* 2010 Jan;68(1-2):1-21 [doi: [10.1016/j.ijhcs.2009.08.005](https://doi.org/10.1016/j.ijhcs.2009.08.005)]
64. Gefen D. E-commerce: the role of familiarity and trust. *Omega.* 2000 Dec;28(6):725-737 [doi: [10.1016/S0305-0483\(00\)00021-9](https://doi.org/10.1016/S0305-0483(00)00021-9)]
65. Riedl R, Fischer T, Léger PM, Davis FD. A decade of NeuroIS research: progress challenges, and future directions. *ACM SIGMIS Database.* 2020 Jul 20;51(3):13-54 [doi: [10.1145/3410977.3410980](https://doi.org/10.1145/3410977.3410980)]
66. Vassena E, Gerrits R, Demanet J, Verguts T, Siugzdaite R. Anticipation of a mentally effortful task recruits Dorsolateral Prefrontal Cortex: an fNIRS validation study. *Neuropsychologia.* 2019 Feb 04;123:106-115 [FREE Full text] [doi: [10.1016/j.neuropsychologia.2018.04.033](https://doi.org/10.1016/j.neuropsychologia.2018.04.033)] [Medline: [29705065](https://pubmed.ncbi.nlm.nih.gov/29705065/)]
67. Salmaso D, Longoni AM. Problems in the assessment of hand preference. *Cortex.* 1985 Dec;21(4):533-549 [FREE Full text] [doi: [10.1016/s0010-9452\(58\)80003-9](https://doi.org/10.1016/s0010-9452(58)80003-9)] [Medline: [4092483](https://pubmed.ncbi.nlm.nih.gov/4092483/)]
68. Götze R. *Neuropsychologisches Befundsystem für die Ergotherapie*. 4th Edition. Berlin, Heidelberg. Springer; 2015.
69. Cui X, Baker JM, Liu N, Reiss AL. Sensitivity of fNIRS measurement to head motion: an applied use of smartphones in the lab. *J Neurosci Methods.* 2015 Apr 30;245:37-43 [FREE Full text] [doi: [10.1016/j.jneumeth.2015.02.006](https://doi.org/10.1016/j.jneumeth.2015.02.006)] [Medline: [25687634](https://pubmed.ncbi.nlm.nih.gov/25687634/)]
70. Ferrari M, Quaresima V. A brief review on the history of human functional near-infrared spectroscopy (fNIRS) development and fields of application. *Neuroimage.* 2012 Nov 01;63(2):921-935 [doi: [10.1016/j.neuroimage.2012.03.049](https://doi.org/10.1016/j.neuroimage.2012.03.049)] [Medline: [22510258](https://pubmed.ncbi.nlm.nih.gov/22510258/)]
71. Girouard A, Solovey E, Hirshfield L, Peck E, Chauncey K, Sassaroli A, et al. From brain signals to adaptive interfaces: using fNIRS in HCI. In: Tan DS, Nijholt A, editors. *Brain-Computer Interfaces: Applying Our Minds to Human-Computer Interaction*. London, UK. Springer; 2010:221-237
72. Hirshfield L, Chauncey K, Gulotta R, Girouard A, Solovey E, Jacob R, et al. Combining electroencephalograph and functional near infrared spectroscopy to explore users' mental workload. In: Schmorow DD, Estabrooke IV, Grootjen M, editors. *Foundations of Augmented Cognition, Neuroergonomics and Operational Neuroscience: 5th International Conference, FAC 2009*. Berlin, Heidelberg. Springer; 2009:239-247
73. Irani F, Platek SM, Bunce S, Ruocco AC, Chute D. Functional near infrared spectroscopy (fNIRS): an emerging neuroimaging technology with important applications for the study of brain disorders. *Clin Neuropsychol.* 2007 Jan;21(1):9-37 [doi: [10.1080/13854040600910018](https://doi.org/10.1080/13854040600910018)] [Medline: [17366276](https://pubmed.ncbi.nlm.nih.gov/17366276/)]
74. Kim H, Seo K, Jeon H, Lee U, Lee H. Application of functional near-infrared spectroscopy to the study of brain function in humans and animal models. *Mol Cells.* 2017 Aug;40(8):523-532 [FREE Full text] [doi: [10.14348/molcells.2017.0153](https://doi.org/10.14348/molcells.2017.0153)] [Medline: [28835022](https://pubmed.ncbi.nlm.nih.gov/28835022/)]

75. Dixon ML, Thiruchselvam R, Todd R, Christoff K. Emotion and the prefrontal cortex: an integrative review. *Psychol Bull.* 2017 Oct;143(10):1033-1081 [doi: [10.1037/bul0000096](https://doi.org/10.1037/bul0000096)] [Medline: [28616997](https://pubmed.ncbi.nlm.nih.gov/28616997/)]
76. Dan Glauzer ES, Scherer KR. Neuronal processes involved in subjective feeling emergence: oscillatory activity during an emotional monitoring task. *Brain Topogr.* 2008 Jun 14;20(4):224-231 [doi: [10.1007/s10548-008-0048-3](https://doi.org/10.1007/s10548-008-0048-3)] [Medline: [18340523](https://pubmed.ncbi.nlm.nih.gov/18340523/)]
77. Grandjean D, Scherer KR. Unpacking the cognitive architecture of emotion processes. *Emotion.* 2008 Jun;8(3):341-351 [doi: [10.1037/1528-3542.8.3.341](https://doi.org/10.1037/1528-3542.8.3.341)] [Medline: [18540750](https://pubmed.ncbi.nlm.nih.gov/18540750/)]
78. Lee K, Siegle G. Common and distinct brain networks underlying explicit emotional evaluation: a meta-analytic study. *Soc Cogn Affect Neurosci.* 2012 Jun;7(5):521-534 [FREE Full text] [doi: [10.1093/scan/nsp001](https://doi.org/10.1093/scan/nsp001)] [Medline: [19270039](https://pubmed.ncbi.nlm.nih.gov/19270039/)]
79. Wager TD, Davidson ML, Hughes BL, Lindquist MA, Ochsner KN. Prefrontal-subcortical pathways mediating successful emotion regulation. *Neuron.* 2008 Sep 25;59(6):1037-1050 [FREE Full text] [doi: [10.1016/j.neuron.2008.09.006](https://doi.org/10.1016/j.neuron.2008.09.006)] [Medline: [18817740](https://pubmed.ncbi.nlm.nih.gov/18817740/)]
80. Jameson TL, Hinson JM, Whitney P. Components of working memory and somatic markers in decision making. *Psychon Bull Rev.* 2004 Jun;11(3):515-520 [doi: [10.3758/bf03196604](https://doi.org/10.3758/bf03196604)] [Medline: [15376804](https://pubmed.ncbi.nlm.nih.gov/15376804/)]
81. Naqvi N, Shiv B, Bechara A. The role of emotion in decision making: a cognitive neuroscience perspective. *Curr Dir Psychol Sci.* 2016 Jun 23;15(5):260-264 [doi: [10.1111/j.1467-8721.2006.00448.x](https://doi.org/10.1111/j.1467-8721.2006.00448.x)]
82. Xue G, Lu Z, Levin I, Weller J, Li X, Bechara A. Functional dissociations of risk and reward processing in the medial prefrontal cortex. *Cereb Cortex.* 2009 May;19(5):1019-1027 [FREE Full text] [doi: [10.1093/cercor/bhn147](https://doi.org/10.1093/cercor/bhn147)] [Medline: [18842669](https://pubmed.ncbi.nlm.nih.gov/18842669/)]
83. Pinti P, Tachtsidis I, Hamilton A, Hirsch J, Aichelburg C, Gilbert S, et al. The present and future use of functional near-infrared spectroscopy (fNIRS) for cognitive neuroscience. *Ann N Y Acad Sci.* 2020 Mar;1464(1):5-29 [FREE Full text] [doi: [10.1111/nyas.13948](https://doi.org/10.1111/nyas.13948)] [Medline: [30085354](https://pubmed.ncbi.nlm.nih.gov/30085354/)]
84. Krampe C, Gier N, Kenning P. Beyond traditional neuroimaging: can mobile fNIRS add to NeuroIS? In: Davis FD, Riedl R, vom Brocke J, Léger PM, Randolph AB, editors. *Information Systems and Neuroscience: Gmunden Retreat on NeuroIS 2017; Lecture Notes in Information Systems and Organisation (LNISO, volume 25)*. Berlin. Springer; 2018:151-157
85. Brigadoi S, Ceccherini L, Cutini S, Scarpa F, Scatturin P, Selb J, et al. Motion artifacts in functional near-infrared spectroscopy: a comparison of motion correction techniques applied to real cognitive data. *Neuroimage.* 2014 Jan 15;85(01):181-191 [FREE Full text] [doi: [10.1016/j.neuroimage.2013.04.082](https://doi.org/10.1016/j.neuroimage.2013.04.082)] [Medline: [23639260](https://pubmed.ncbi.nlm.nih.gov/23639260/)]
86. Goodwin JR, Gaudet CR, Berger AJ. Short-channel functional near-infrared spectroscopy regressions improve when source-detector separation is reduced. *Neurophotonics.* 2014 Jul;1(1):015002 [FREE Full text] [doi: [10.1117/1.NPh.1.1.015002](https://doi.org/10.1117/1.NPh.1.1.015002)] [Medline: [26157972](https://pubmed.ncbi.nlm.nih.gov/26157972/)]
87. Yücel MA, Selb J, Aasted CM, Lin P, Borsook D, Becerra L, et al. Mayer waves reduce the accuracy of estimated hemodynamic response functions in functional near-infrared spectroscopy. *Biomed Opt Express.* 2016 Jul 22;7(8):3078 [doi: [10.1364/boe.7.003078](https://doi.org/10.1364/boe.7.003078)]
88. Santosa H, Zhai X, Fishburn F, Huppert T. The NIRS Brain AnalyzIR toolbox. *Algorithms.* 2018 May 16;11(5):73 [doi: [10.3390/a11050073](https://doi.org/10.3390/a11050073)]
89. Huppert TJ. Commentary on the statistical properties of noise and its implication on general linear models in functional near-infrared spectroscopy. *Neurophotonics.* 2016 Jan;3(1):010401 [FREE Full text] [doi: [10.1117/1.NPh.3.1.010401](https://doi.org/10.1117/1.NPh.3.1.010401)] [Medline: [26989756](https://pubmed.ncbi.nlm.nih.gov/26989756/)]
90. Saager RB, Berger AJ. Direct characterization and removal of interfering absorption trends in two-layer turbid media. *J Opt Soc Am A Opt Image Sci Vis.* 2005 Sep;22(9):1874-1882 [doi: [10.1364/josaa.22.001874](https://doi.org/10.1364/josaa.22.001874)] [Medline: [16211814](https://pubmed.ncbi.nlm.nih.gov/16211814/)]
91. Scholkmann F, Kleiser S, Metz AJ, Zimmermann R, Mata Pavia J, Wolf U, et al. A review on continuous wave functional near-infrared spectroscopy and imaging instrumentation and methodology. *Neuroimage.* 2014 Jan 15;85 Pt 1:6-27 [FREE Full text] [doi: [10.1016/j.neuroimage.2013.05.004](https://doi.org/10.1016/j.neuroimage.2013.05.004)] [Medline: [23684868](https://pubmed.ncbi.nlm.nih.gov/23684868/)]
92. Delpy DT, Cope M, Zee PVD, Arridge S, Wray S, Wyatt J. Estimation of optical pathlength through tissue from direct time of flight measurement. *Phys Med Biol.* 2000 Dec 05;33(12):1433-1442 [doi: [10.1088/0031-9155/33/12/008](https://doi.org/10.1088/0031-9155/33/12/008)]
93. Kocsis L, Herman P, Eke A. The modified Beer-Lambert law revisited. *Phys Med Biol.* 2006 Mar 07;51(5):N91-N98 [doi: [10.1088/0031-9155/51/5/N02](https://doi.org/10.1088/0031-9155/51/5/N02)] [Medline: [16481677](https://pubmed.ncbi.nlm.nih.gov/16481677/)]
94. Ekman P, Friesen W. *Manual for the Facial Action Code*. Palo Alto, CA. Consulting Psychologist Press; 1978.
95. Hwang H, Matsumoto D. Measuring emotions in the face. In: Meiselman HL, editor. *Emotion Measurement*. Sawston, UK. Woodhead Publishing; 2016.
96. Reizenzein R, Junge M, Studtmann M, Huber O. Observational approaches to the measurement of emotions. In: Pekrun R, Linnenbrink-Garcia L, editors. *International Handbook of Emotions in Education*. New York. Routledge; 2014:580-601
97. Loijens L, Krips O. FaceReader methodology note. Noldus Information Technology. 2019. URL: https://www.noldus.com/files/file_manager/downloads/whitepaper/FaceReader_Methodology.pdf?utm_campaign=Downloads&utm_source=hs_automation&utm_medium=email&utm_content=59367721 [accessed 2023-12-14]
98. Loijens L, Krips O, Grieco F, van Kuilenburg H, den Uyl M, Ivan P. *FaceReader version 8: User Manual 2018*. Wageningen, Gelderland, the Netherlands. Noldus Information Technology; Dec 2018.

99. Danner L, Duerrschmid K. Automatic facial expressions analysis in consumer science. In: Ares G, Varela P, editors. *Methods in Consumer Research*. Amsterdam, the Netherlands. Elsevier; 2018:231-252
100. Watson D, Tellegen A. Toward a consensual structure of mood. *Psychol Bull*. 1985;98(2):219-235 [doi: [10.1037/0033-2909.98.2.219](https://doi.org/10.1037/0033-2909.98.2.219)]
101. Grühn D, Sharifian N. Lists of emotional stimuli. In: Meiselman HL, editor. *Emotion Measurement*. Sawston, UK. Woodhead Publishing; 2016.
102. Gregor S, Lin ACH, Gedeon T, Riaz A, Zhu D. Neuroscience and a nomological network for the understanding and assessment of emotions in information systems research. *J Manag Inf Syst*. 2014 Dec 08;30(4):13-48 [doi: [10.2753/mis0742-1222300402](https://doi.org/10.2753/mis0742-1222300402)]
103. Wakefield R. The influence of user affect in online information disclosure. *J Strateg Inf Syst*. 2013 Jun;22(2):157-174 [doi: [10.1016/j.jsis.2013.01.003](https://doi.org/10.1016/j.jsis.2013.01.003)]
104. Duffy E. *Activation and Behavior*. New York. Wiley; 1962.
105. Ashar YK, Chang LJ, Wager TD. Brain mechanisms of the placebo effect: an affective appraisal account. *Annu Rev Clin Psychol*. 2017 May 08;13:73-98 [doi: [10.1146/annurev-clinpsy-021815-093015](https://doi.org/10.1146/annurev-clinpsy-021815-093015)] [Medline: [28375723](https://pubmed.ncbi.nlm.nih.gov/28375723/)]
106. Hiser J, Koenigs M. The multifaceted role of the ventromedial prefrontal cortex in emotion, decision making, social cognition, and psychopathology. *Biol Psychiatry*. 2018 Apr 15;83(8):638-647 [FREE Full text] [doi: [10.1016/j.biopsych.2017.10.030](https://doi.org/10.1016/j.biopsych.2017.10.030)] [Medline: [29275839](https://pubmed.ncbi.nlm.nih.gov/29275839/)]
107. Sander D, Grandjean D, Scherer KR. An appraisal-driven componential approach to the emotional brain. *Emot Rev*. 2018 Jul 27;10(3):219-231 [doi: [10.1177/1754073918765653](https://doi.org/10.1177/1754073918765653)]
108. Schultz W, O'Neill M, Tobler PN, Kobayashi S. Neuronal signals for reward risk in frontal cortex. *Ann N Y Acad Sci*. 2011 Dec;1239:109-117 [doi: [10.1111/j.1749-6632.2011.06256.x](https://doi.org/10.1111/j.1749-6632.2011.06256.x)] [Medline: [22145880](https://pubmed.ncbi.nlm.nih.gov/22145880/)]
109. Bechara A, Damasio H, Tranel D, Damasio AR. The Iowa gambling task and the somatic marker hypothesis: some questions and answers. *Trends Cogn Sci*. 2005 Apr;9(4):159-62; discussion 162 [doi: [10.1016/j.tics.2005.02.002](https://doi.org/10.1016/j.tics.2005.02.002)] [Medline: [15808493](https://pubmed.ncbi.nlm.nih.gov/15808493/)]
110. Gast O. *User Experience im e-Commerce: Messung von Emotionen bei der Nutzung interaktiver Anwendungen*. Wiesbaden. Springer Fachmedien; 2018.
111. Zeinstra GG, Koelen M, Colindres D, Kok F, de Graaf C. Facial expressions in school-aged children are a good indicator of 'dislikes', but not of 'likes'. *Food Qual Prefer*. 2009 Dec;20(8):620-624 [doi: [10.1016/j.foodqual.2009.07.002](https://doi.org/10.1016/j.foodqual.2009.07.002)]
112. Kim J, Lennon S. Effects of reputation and website quality on online consumers' emotion, perceived risk and purchase intention. *J Res Interact Mark*. 2013;7(1):33-56 [doi: [10.1108/17505931311316734](https://doi.org/10.1108/17505931311316734)]
113. Tom SM, Fox CR, Trepel C, Poldrack RA. The neural basis of loss aversion in decision-making under risk. *Science*. 2007 Jan 26;315(5811):515-518 [doi: [10.1126/science.1134239](https://doi.org/10.1126/science.1134239)] [Medline: [17255512](https://pubmed.ncbi.nlm.nih.gov/17255512/)]
114. Mitchell DGV, Luo Q, Avny SB, Kasprzycki T, Gupta K, Chen G, et al. Adapting to dynamic stimulus-response values: differential contributions of inferior frontal, dorsomedial, and dorsolateral regions of prefrontal cortex to decision making. *J Neurosci*. 2009 Sep 02;29(35):10827-10834 [doi: [10.1523/jneurosci.0963-09.2009](https://doi.org/10.1523/jneurosci.0963-09.2009)]
115. Hsu M, Bhatt M, Adolphs R, Tranel D, Camerer CF. Neural systems responding to degrees of uncertainty in human decision-making. *Science*. 2005 Dec 09;310(5754):1680-1683 [FREE Full text] [doi: [10.1126/science.1115327](https://doi.org/10.1126/science.1115327)] [Medline: [16339445](https://pubmed.ncbi.nlm.nih.gov/16339445/)]
116. Fukui H, Murai T, Fukuyama H, Hayashi T, Hanakawa T. Functional activity related to risk anticipation during performance of the Iowa gambling task. *Neuroimage*. 2005 Jan 01;24(1):253-259 [doi: [10.1016/j.neuroimage.2004.08.028](https://doi.org/10.1016/j.neuroimage.2004.08.028)] [Medline: [15588617](https://pubmed.ncbi.nlm.nih.gov/15588617/)]
117. Tanabe J, Thompson L, Claus E, Dalwani M, Hutchison K, Banich MT. Prefrontal cortex activity is reduced in gambling and nongambling substance users during decision-making. *Hum Brain Mapp*. 2007 Dec;28(12):1276-1286 [FREE Full text] [doi: [10.1002/hbm.20344](https://doi.org/10.1002/hbm.20344)] [Medline: [17274020](https://pubmed.ncbi.nlm.nih.gov/17274020/)]
118. Elektronische Rezepte: wichtige Fragen und Antworten zu E-Rezepten 2022. Verbraucherzentrale. 2022. URL: <https://www.verbraucherzentrale.de/wissen/gesundheit-pflege/aerzte-und-kliniken/elektronische-rezepte-wichtige-fragen-und-antworten-zu-erezepten-64285#:~:text=Zum%201.Lage%2C%20E%2DRezepte%20auszustellen> [accessed 2023-12-14]
119. Borsch J. Im Jahr 2023 noch 70 Prozent aller E-Rezepte auf Papier erwartet. Deutsche Apotheker Zeitung. 2022 Sep 20. URL: <https://www.deutsche-apotheker-zeitung.de/news/artikel/2022/09/20/2023-noch-70-prozent-aller-e-rezepte-auf-papier-erwartet> [accessed 2023-12-14]
120. Satheesh G, Puthean S, Chaudhary V. E-pharmacies in India: can they improve the pharmaceutical service delivery? *J Glob Health*. 2019 Jun;10(1):010301 [FREE Full text] [doi: [10.7189/jogh.10.010302](https://doi.org/10.7189/jogh.10.010302)] [Medline: [32082543](https://pubmed.ncbi.nlm.nih.gov/32082543/)]
121. Liu J, Zhou Y, Jiang X, Zhang W. Consumers' satisfaction factors mining and sentiment analysis of B2C online pharmacy reviews. *BMC Med Inform Decis Mak*. 2020 Aug 17;20(1):194 [FREE Full text] [doi: [10.1186/s12911-020-01214-x](https://doi.org/10.1186/s12911-020-01214-x)] [Medline: [32807175](https://pubmed.ncbi.nlm.nih.gov/32807175/)]
122. Deppe M, Schwindt W, Kugel H, Plassmann H, Kenning P. Nonlinear responses within the medial prefrontal cortex reveal when specific implicit information influences economic decision making. *J Neuroimaging*. 2005 Apr;15(2):171-182 [doi: [10.1177/1051228405275074](https://doi.org/10.1177/1051228405275074)] [Medline: [15746230](https://pubmed.ncbi.nlm.nih.gov/15746230/)]

123. Krampe C, Gier NR, Kenning P. The application of mobile fNIRS in marketing research-detecting the "first-choice-brand" effect. *Front Hum Neurosci*. 2018;12:433 [FREE Full text] [doi: [10.3389/fnhum.2018.00433](https://doi.org/10.3389/fnhum.2018.00433)] [Medline: [30443210](https://pubmed.ncbi.nlm.nih.gov/30443210/)]
124. Brandt M. Die top 10 online-Apotheken in Deutschland 2021. Statista. URL: <https://de.statista.com/infografik/15489/die-top-10-online-apotheken-in-deutschland-nach-umsatz/> [accessed 2021-12-02]
125. Perceived risk and trust of online pharmacies in Germany. Open Science Framework. 2023 Apr 17. URL: https://osf.io/yf6ps/?view_only=9225f45b5fef4d4da87bd4ff98f108f6 [accessed 2023-12-15]

Abbreviations

AAM: active appearance method
AFEA: automated facial expression analysis
Ch: channel
dmPFC: dorsomedial prefrontal cortex
fNIRS: functional near-infrared spectroscopy
HbO: oxygenated hemoglobin
HbR: deoxygenated hemoglobin
LDD: long-distance detector
NA: negative affect
OTC: over the counter
PA: positive affect
PANAS: Positive and Negative Affect Scale
PFC: prefrontal cortex
SDD: short-distance detector
vmPFC: ventromedial prefrontal cortex

Edited by A Mavragani; submitted 09.05.23; peer-reviewed by A Fittler, H Demir; comments to author 03.10.23; revised version received 10.10.23; accepted 03.11.23; published 25.12.23

Please cite as:

Ersöz S, Nissen A, Schütte R

Risk, Trust, and Emotion in Online Pharmacy Medication Purchases: Multimethod Approach Incorporating Customer Self-Reports, Facial Expressions, and Neural Activation

JMIR Form Res 2023;7:e48850

URL: <https://formative.jmir.org/2023/1/e48850>

doi: [10.2196/48850](https://doi.org/10.2196/48850)

PMID: [38145483](https://pubmed.ncbi.nlm.nih.gov/38145483/)

©Semra Ersöz, Anika Nissen, Reinhard Schütte. Originally published in JMIR Formative Research (<https://formative.jmir.org>), 25.12.2023. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Formative Research, is properly cited. The complete bibliographic information, a link to the original publication on <https://formative.jmir.org>, as well as this copyright and license information must be included.